



SUN-FLEX

WHO WE ARE

SUN-FLEX® is a leader in workplace solutions with an emphasis on sustainability, design, and function. We design furniture and accessories that not only cater to individual needs but also reduce environmental impact. Our goal is to create products that benefit both present and future generations.

COMFORT

Comfort is the first thing. Even though comfort is easy to experience, its origin can be challenging to pinpoint. In our design, we've isolated three core aspects of comfort, where each step builds upon the user's experience.

VISUAL COMFORT

What we perceive visually sets the tone for our expectations. The appearance of a product directly influences our anticipation of its comfort. A well-balanced aesthetic can create a sense of calm and predictability, priming our senses for a positive experience.

INITIAL COMFORT

First impressions count. Upon initial contact, tactile sensations and degrees of softness/hardness matter. That's why we ensure our product settings are intuitive and invite a positive first impression.

LONG-LASTING COMFORT

The product's feel over time is as crucial as the first impression. Since our products are designed for years of use, we focus on details that promote enduring well-being, knowing its impact on posture and behavior.

USER-FRIENDLINESS

It's frustrating to encounter a product that's hard to understand. That's why we emphasize creating our designs both intuitive and easy to use. To ensure a seamless user experience, we focus on five key areas:

- 1 INTUITIVE DESIGN**
Immediate insight into the product's structure and function.
- 2 EASY LEARNING**
Enabling users to quickly grasp the features.
- 3 EFFICIENCY**
Allows the user to utilize the products effectively.
- 4 MEMORABILITY**
Easily recall the product's functions in future use.
- 5 SUBJECTIVE SATISFACTION**
The product should not only work but also be enjoyable to use.

SUSTAINABILITY

Every product SUN-FLEX® designs and manufactures is based on the concept we've developed, promoting a circular and sustainable life cycle: repair, reuse, and recycle.



LOW WEIGHT: Our products are designed to be efficient while requiring minimal resources.



FEWER COMPONENTS: Through smarter functions, we simplify processes.



RIGHT MATERIAL CHOICE: Prioritizing recycled and recyclable materials, eliminating harmful substances.



LONG LIFESPAN: Our products are built to ensure they stand the test of time.



DESIGN FOR DISASSEMBLY: Our items are crafted for reuse and recycling.




SUN-FLEX® OFFICECHAIR HB

MOVEMENT & SUPPORT

Movement and variation are essential for our well-being. Our solutions encourage active movement and position shifts, while stability and safety are our priorities. Thus, our design strikes a balance between safety and freedom of movement, allowing the user to move naturally.

SUN-FLEX
®

SUN-FLEX® OFFICECHAIR HB



SPECIFICATIONS

- | | | | |
|--------------------------|--|-------------------------------|---|
| • Product: | SUN-FLEX®OFFICECHAIR HB | • Backrest height adjustment: | Yes, 7 fixed positions |
| • Color: | Black (Onyx Black) | • Lumbar support: | Yes, air lumbar support with pump |
| • Seat/back material: | Textile, recycled polyester (120 000 Martindale) | • Casters: | Yes, smooth-rolling for hard and soft floors |
| • Other materials: | Recyclable metal, aluminum, ABS-plastic | • Maximum load capacity: | 120 kg |
| • Absorbent padding: | Yes, seat and back | • Circular design: | Yes, the chair is made from recyclable materials. |
| • Neck support: | Yes, 3D detachable | • Certifications: | Spare parts are available. |
| • Armrests: | Yes, 4D, detachable | • Portable box: | Yes, EN-1335-1, EN-1335-2, BIFMA |
| • Base: | Black anodized aluminum | • Packaging: | Yes, with two handles for easy handling |
| • Safety mechanism: | Yes | • Weight: | Unit, 9 units per pallet |
| • Synchronized rocking: | Yes, 5 fixed positions or open rocking | • Art.no.: | 24 kg/unit |
| • Weight adjustment: | Yes, stepless | • GTIN13 (EAN): | 250505 |
| • Seat depth adjustment: | Yes, 5 fixed positions | | 7350042902743 |

SUN-FLEX®